




# LS Series

LIQUID BATCH SAMPLING



# LS20

## LIQUID BATCH SAMPLING



# T

HE Lighthouse LS-20 Liquid Sampler has an integrated syringe sampler and optical particle counting system. Its easy-to-use Windows™ based software interface is designed to meet the international regulatory EP and JP, as well as USP 788, requirements. Following a quality standard of reliability and dependability, Lighthouse Worldwide Solutions developed the LS-20 Liquid Sampler using the latest in laser optical particle counter technology. The LS-20 uses a high accuracy syringe pump flow control system and a high sample volume sensor. With sample volumes adjustable from 1 to 1000 milliliters (10 mL syringe), it is a perfect tool for multiple batch sampling applications.


The graphical user interface makes the LS-20 easy to configure and operate. Data is automatically recorded from up to eight particle size channels ranging from 1.0 to 50.0 microns and is easily available in graph and tabular form in real time. All reports can be preconfigured and printed at the touch of a button.

### Features

- 1.0  $\mu\text{m}$  to 50  $\mu\text{m}$  Size Range
- Integrated "Light Obscuration" Particle Counter Software Designed for 21 CFR part 11
- International Regulatory EP & JP Reports
- USP 788 Reports
- Sample Volumes from 1 to 1000 milli Liters
- Preconfigured USP 788 Recipes
- Precise Syringe Pump Flow Control
- Stainless Steel Enclosure
- Built-in Magnetic Stirrer
- Automated Sample Handling Maximizes Repeatability
- Compact Footprint

### Benefits


- 2 Year Limited Warranty
- Industry's Easiest and Fastest Out-of-Box Set Up and Integration
- Excellent ROI
- Proven Data Integrity
- Industry's Lowest Cost of Ownership



LS-20 Main Screen View

# LS60

## LIQUID BATCH SAMPLING



# D

ESIGNED with functionality in mind, the Lighthouse LS-60 Liquid Sampler is an integrated syringe sampler and optical particle counting system with an easy-to-use Windows™ based software interface. Following a quality standard of reliability and dependability, Lighthouse Worldwide Solutions developed the LS-60 Liquid Sampler using the latest in laser optical particle counter technology. With a Sample Flow Rate of 60mL/min, the LS-60 provides unprecedented measurement speed and accuracy.


The LS-60 uses a high accuracy syringe pump flow control system and a high sample volume sensor. It is a perfect tool for multiple batch sampling applications. The graphical user interface makes the LS-60 easy to configure and operate. Data is automatically recorded and easily available in graph and tabular form in real time. Reports can be preconfigured and printed at the touch of a key.

### Features

- 0.1 µm to 100 µm Size Ranges Available
- Integrated Particle Counter
- 8 Channel Sizes
- Windows™-based Control Software
- Sample Volumes from 1mL to 1 Liter
- Syringe Size Options: 10 and 25 mL
- Precise Syringe Pump Flow Control
- Stainless Steel Enclosure
- Built-in Magnetic Stirrer
- Maximizes Sample Repeatability
- Small Footprint
- RS-485 MODBUS
- Designed for Reliability

### Benefits

- 2 Year Warranty
- Easy to Install in Limited Space
- Cost Effective Operation
- Proven Data Integrity
- Low Cost of Ownership



LS-60 Main Screen View

**Lighthouse is an ISO 9001 Registered Company**

# LS Series

## LIQUID BATCH SAMPLING

### Lighthouse Worldwide Solutions Operations

#### Corporate Headquarters

300 West Antelope Road  
White City, Oregon 97503  
USA

Tel: +1 800-945-5905

#### Research and Development

47509 Seabridge Drive  
Fremont, CA 94538  
USA

Tel: +1 800-945-5905

#### Benelux Operations

Van Heemstraweg 19-A  
6657 KD Boven-Leeuwen  
The Netherlands

Tel: +31 487 560811  
Fax: +31 487 560013

#### UK Operations

Van Heemstraweg 19-A  
6657 KD Boven-Leeuwen  
The Netherlands

Tel: +31 487 560811  
Fax: +31 487 560013

#### EMEA Operations

Mimar Sinan Mh. Cavusbasi Cd.  
Ozge Sk. Zin D Business Center  
NO: 1/26  
Cekmekoy/Istanbul  
Turkey

Tel: +90 216 640 0 597  
Fax: +90 216 640 0 598

#### Thailand Operations

99/100 Moo 6  
T. Klongsi, A.Klongluang  
Patumthani, 12120  
Thailand

Tel: +662 147 5188  
Fax: +662 902 2724

#### Malaysia Operations

No. 18-32-A1 & A2  
Gurney Tower, Persiaran Gurney  
Georgetown, 10250 Penang  
Malaysia

Tel: +604 370 1229  
Fax: +604 370 1209

Distributed By:



MADE IN USA

Lighthouse Worldwide Solutions reserves the right to change specifications without notice.

[www.golighthouse.com](http://www.golighthouse.com)  
[info@golighthouse.com](mailto:info@golighthouse.com)

+1-800-945-5905  
+1-541-770-5905



**LIGHTHOUSE**  
WORLDWIDE SOLUTIONS