



RANGE		Hg REQUIRED TO FILL		1221, 1222, 1223 SCALE LENGTH "A"		1221, 1222 O.A. LENGTH "B"		1223 O.A. LENGTH "B"	
INCHES H ₂ O	MILLIMETERS H ₂ O	GRAMS	OUNCES	W/M	D	W/M	D	W/M	D
8 (4-0-4)		178.5	6.3	12-1/4	13-15/16	15-1/4	17	18-1/2	19-7/8
	M200 (100-0-100)	178.5	6.3	12-1/8	13-13/16	15-1/4	17	18-1/2	19-7/8
12 (6-0-6)		225.5	7.9	16-1/4	18-13/16	19-1/4	21-3/4	21-1/8	24-5/8
	M300 (150-0-150)	225.5	7.9	16-1/16	18-9/16	19-1/4	21-3/4	21-1/8	24-5/8
16 (8-0-8)		269	9.5	20-1/4	23-5/8	23-1/4	26-1/2	26-1/8	30-3/8
	M400 (200-0-200)	269	9.5	20	23-3/8	23-1/4	26-1/2	26-1/8	30-3/8
20 (10-0-10)		314.5	11.1	24-1/4	28-1/2	27-1/4	31-1/2	30-1/8	34-3/8
	M600 (300-0-300)	353.1	12.4	27-7/8	32-7/8	30-3/4	35-3/4	33-5/8	38-5/8
24 (12-0-12)		379.7	13.4	28-1/4	33-5/16	31-1/2	36-1/4	33-3/8	39-1/8
36 (18-0-18)		491.1	17.3	40-1/4	47-7/8	43-1/4	50-3/4	46-1/8	53-5/8
	M1000 (500-500)	526.6	18.5	43-5/8	51-15/16	46-1/2	55	49-3/8	57-7/8

	"C" DIM.
36 W/M	20-7/8
36 D	24-13/16
M1000 W/M	22-3/8
M1000 D	26-1/2

NOT RECOMMENDED FOR VACUUM SERVICE ABOVE 5 IN Hg (68 IN. W.C.).



1221, 1222 MANOMETERS



1223 MANOMETER

⊕ = CRITICAL DIMENSION
STANDARD TOLERANCES UNLESS NOTED:
ALL DECIMAL DIMENSIONS ±
ALL ANGLES ±

SCALE 1:2

NO.	CHANGES	BY/DATE	DATE	NAME	MATERIAL
				SERIES 1221, 1222, 1223 FLEX-TUBE MANOMETERS (FOR REFERENCE ONLY)	
					FINISH
					DWYER INSTRUMENTS, INC. MICHIGAN CITY, INDIANA 46360 U.S.A.
					FR. NO.

NOTICE: This drawing and the principles and elements of design embodied therein are the exclusive property of DWYER INSTRUMENTS, INC. and are not to be reproduced, copied, reprinted or used in any way without the written consent of said corporation and must not be submitted to outside parties for examination without the written consent of said corporation.